

To: doug@forumfg.com;"Carol JOHNSTON" [cjohnston@ironboundcc.org]; Carol JOHNSTON" [cjohnston@ironboundcc.org]; ebbie@nynjbaykeeper.org;tpietrykoski@pvsc.com;CN=Dave Kluesner/OU=R2/O=USEPA/C=US@EPA;jamespmack@jpm-llc.com;jsphnardone@yahoo.com[]; pietrykoski@pvsc.com;CN=Dave Kluesner/OU=R2/O=USEPA/C=US@EPA;jamespmack@jpm-llc.com;jsphnardone@yahoo.com[]; N=Dave Kluesner/OU=R2/O=USEPA/C=US@EPA;jamespmack@jpm-llc.com;jsphnardone@yahoo.com[]; amespmack@jpm-llc.com;jsphnardone@yahoo.com[]; sphnardone@yahoo.com[]
Cc: CN=Ray Basso/OU=R2/O=USEPA/C=US@EPA[]
Bcc: []
From: CN=Elizabeth Butler/OU=R2/O=USEPA/C=US
Sent: Thur 5/5/2011 1:45:23 PM
Subject: revised interim CHASP for Passaic Removal Action

Hi All.

As a quick update, Tierra finally got the leased signed to use the Fairmount Chemical property for our sediment processing. Since that took much longer than anticipated, we are breaking the design up into 2 pieces - that which is needed to start the construction of the sheetpile enclosure next month and that which will be needed to construct the pipeline and the Upland Processing Facility (UPF). Therefore, the attached "Interim Community Health and Safety Plan" essentially is intended to cover the revisions we suggested in our comments on the earlier version and is primarily intended to cover the issues relating to construction of the sheetpile enclosure (although they have included the updates that are known so far about the UPF. Tierra has highlighted the changes. In order to keep to the schedule I need to ask that you provide me with any comments on these revisions by Thursday, May 12th.

Thanks and please let me know if you have any questions,
Elizabeth

[attachment "Interim CHASP 5-04-11 RLISO.pdf" deleted by Elizabeth Butler/R2/USEPA/US]